

VENICEM


PRICELIST 01/2024

VENICEM HEAD OF DESIGN MASSIMO TONETTO

BISSA	SUSPENSION	5	LIGHTING
BLADE	COFFEE TABLE	6	FURNITURE
CHIC	FLOOR TABLE	7 8	LIGHTING
CIRCLE	CEILING TABLE TABLE PORTABLE WALL	9 10 11 12 - 13	LIGHTING
CROSS	SUSPENSION WALL	14 15	LIGHTING
CROWN	CEILING SUSPENSION WALL	16 17 - 18 19	LIGHTING
EQUILIBRE	COFFEE TABLE	20	FURNITURE
ESSENCE	ALMOST WALL WALL	21 22	LIGHTING
GLAM	TABLE WALL	23 24	LIGHTING
GRACE	SUSPENSION	25 - 27	LIGHTING
KITAMI	SUSPENSION WALL	28 - 29 30 - 31	LIGHTING
LESS SYSTEM	SUSPENSION	32 - 38	LIGHTING
MISTY	SUSPENSION TABLE	39 - 41 42 - 43	LIGHTING
MONDRIAN GLASS	CEILING FLOOR WALL	44 - 45 46 47	LIGHTING
MONDRIAN LED	CEILING WALL WALL DOUBLE	48 49 50	LIGHTING
NUMA	FLOOR SUSPENSION WALL	51 52 53	LIGHTING
OPEN	BOOKCASE	54	FURNITURE
OPTICAL	FLOOR SUSPENSION 1 SUSPENSION 3 TABLE WALL	55 56 57 58 59	LIGHTING
PINOCCHIO	FLOOR	60	LIGHTING
RECTUS	FLOOR TABLE WALL TURNING ARM WALL TURNING ARM (EXTERNAL WIRE)	61 62 63 64	LIGHTING
RING	COFFEE TABLE	65	FURNITURE
ROCK	COFFEE TABLE	66	FURNITURE
ROOT ONE	WALL WALL SLIM	67 68	LIGHTING
ROOTS	CHANDELIER CHANDELIER DOUBLE	69 70	LIGHTING

PRICELIST 01 / 2024

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 8W/m 2700°K 750lm/m CRI 90+ 24Vdc TOT. = 45W 4238lm
ENERGY EFFICIENCY	G
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	193 × 66 × H 34 cm (76" × 26" × H 13"4)	10 kg	13 kg	0,43 m³

BISSA SUSPENSION	CODE 027S1M14.CE/UL	STRUCTURE FINISH DELABRÉ BRASS	PRICE € 4.600,00
------------------	-------------------------------	--	----------------------------


J-BOX KIT (USA AND CANADA)	CODE 027S1KITJ.MB	STRUCTURE FINISH MATTE BLACK METAL	NET PRICE € 100,00
-------------------------------	-----------------------------	--	------------------------------

DIMMING KIT	NET PRICE €
DALI	90,00
TRIAC	105,00


DIMENSIONS

BLADE COFFEE TABLE Ø 70

BLADE COFFEE TABLE Ø 35



35 cm (13"8)



60 cm (23"6)

Ø 70 cm (27"6)

Ø 35 cm (13"8)

PRODUCT DETAILS

FUNCTION
LOCATION

COFFEE TABLE
INTERIOR

PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
BLADE COFFEE TABLE Ø 70				
1 × CRATE	96 × 96 × H 65 cm (37"8 × 37"8 × H 25"6)	19 kg	61 kg	0,60 m³
BLADE COFFEE TABLE Ø 35				
1 × CRATE	66 × 66 × H 90 cm (26" × 26" × H 35"4)	12 kg	42 kg	0,39 m³


BLADE COFFEE TABLE Ø 70

CODE	TOP FINISH	BASE FINISH	PRICE €
F.005T1M19CL	BLENDED BURNISHED BRASS	CANALETTO WOOD	4.500,00
F.005T1M21CL	BLENDED BURNISHED METAL	CANALETTO WOOD	4.500,00

BLADE COFFEE TABLE Ø 35

CODE	TOP FINISH	BASE FINISH	PRICE €
F.005T2M19CL	BLENDED BURNISHED BRASS	CANALETTO WOOD	3.500,00
F.005T2M21CL	BLENDED BURNISHED METAL	CANALETTO WOOD	3.500,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	FLOOR
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 10,5W E27 PAR30 LED 700lm 2700°K + 1 × MAX 8,5W E27 LED 600lm 2800°K
	DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	ON / OFF + DIMMER
CABLE LENGTH	90 cm (35") 160 cm (63")


CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	36 × 36 × H 146 cm (14"2 × 14"2 × H 57"5)	12 kg	17 kg	0,39 m³
	1 × BOX	40 × 40 × H 44 cm (15"7 × 15"7 × H 17"3)	3 kg	5 kg	
	1 × BOX	130 × 36 × H 28 cm (51"2 × 14"2 × H 11")	18 kg	22 kg	

CHICFLOOR	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	009F1M01C.CE/UL	LIGHT STRIPED BRONZE	CRYSTAL GLASS	6.100,00
	009F1M01R.CE/UL	LIGHT STRIPED BRONZE	AMBER GLASS	7.450,00
	009F1M01G.CE/UL	LIGHT STRIPED BRONZE	SMOKE GREY GLASS	7.450,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 6W GU10 PAR16 LED 560lm 2700°K + 1 × MAX 6W E14 LED 470lm 2700°K
	DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	ON / OFF + DIMMER
CABLE LENGTH	45 cm (18") 205 cm (81")

CERTIFICATION




PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	33 × 33 × H 53 cm (13" × 13" × H 20"9)	6 kg	9 kg	0,16 m ³
1 × BOX	37 × 37 × H 39 cm (14"6 × 14"6 × H 15"4)	2,5 kg	4 kg	
1 × BOX	21 × 51 × H 43 cm (8"3 × 20"1 × H 16"9)	4 kg	5 kg	


CHIC TABLE

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
009T1M01C.CE/UL	LIGHT STRIPED BRONZE	CRYSTAL GLASS	3.450,00
009T1M01R.CE/UL	LIGHT STRIPED BRONZE	AMBER GLASS	3.750,00
009T1M01G.CE/UL	LIGHT STRIPED BRONZE	SMOKE GREY GLASS	3.750,00

DIMENSIONS



DIMMING KIT + CANOPY KIT



PRODUCT DETAILS

FUNCTION	CEILING
LOCATION	INTERIOR
LIGHT EMISSION	INDIRECT LIGHT
LIGHT SOURCE	3 × 16W LED 1340lm 2700°K
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	62 × 58 × H 72 cm (24"4 × 22"8 × H 28"3)	15,5 kg	17,5 kg	0,26 m³

CIRCLE CEILING	CODE	STRUCTURE FINISH	PRICE €
	002C1M11.CE/UL	LIGHT BURNISHED BRASS RING + MATTE BLACK NICKEL METAL	3.550,00

DIMMING KIT		NET PRICE €
+ CANOPYKIT	DALI - TRIAC	150,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × 9,6W STRIP LED 24V 850LM 2700°K CRI +90 DIMMABLE
ENERGY EFFICIENCY	G
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	DIMMABLE BALLAST INCLUDED
CABLE LENGTH	45 cm (15") 190 cm (75"2)


CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	50 × 37 × H 38 cm (19"7 × 14"6 × H 15")	5 kg	7 kg	0,07 m³

CIRCLE TABLE	CODE	STRUCTURE FINISH	PRICE €
	002T1M04.CE/UL	POLISHED BLACK NICKEL METAL	1.500,00
	002T1M16.CE/UL	PEWTER	1.900,00
	002T1M20.CE/UL	BLENDED BURNISHED COPPER	1.800,00
	002T1M23.CE/UL	BLACK IRON	1.500,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × 2,2W STRIP LED 24V 200 lm 2700°K CRI +90 DIMMABLE
ENERGY EFFICIENCY	G
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	BATTERY
SWITCHING	DIMMABLE WITH TOUCH DIMMER

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	36 × 27 × H 27 cm (14'2 × 10'6 × H 10'6)	2,5 kg	4 kg	0,03 m³

CIRCLE TABLE

CODE	STRUCTURE FINISH	PRICE €
002T2M04.CE/UL	POLISHED BLACK NICKEL METAL	730,00
002T2M16.CE/UL	PEWTER	1.100,00
002T2M20.CE/UL	BLENDED BURNISHED COPPER	950,00
002T2M23.CE/UL	BLACK IRON	730,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	INDIRECT LIGHT
LIGHT SOURCE	1 × 16W LED 1340lm 2700°K
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	46 × 47 × H 30 cm (18"1 × 18"5 × H 11"8)	2 kg	3,5 kg	0,06 m³


CIRCLE WALL - S

CODE	STRUCTURE FINISH	PRICE €
002W1M11.CE/UL	LIGHT BURNISHED BRASS RING + MATTE BLACK NICKEL METAL	1.050,00

DIMMING KIT
+ CANOPY KIT

DALI - TRIAC	NET PRICE €
	135,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	INDIRECT LIGHT
LIGHT SOURCE	1 × 16W LED 1340lm 2700°K
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	46 × 47 × H 30 cm (18"1 × 18"5 × H 11"8)	2,5 kg	4 kg	0,06 m³


CIRCLE WALL - L

CODE	STRUCTURE FINISH	PRICE €
002W2M11.CE/UL	LIGHT BURNISHED BRASS RING + MATTE BLACK NICKEL METAL	1.250,00

DIMMING KIT
+ CANOPY KIT

DALI - TRIAC	NET PRICE €
	135,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 8W/m 2700°K 750lm/m CRI 90+ 24Vdc TOT. = 38,4W 3600lm
ENERGY EFFICIENCY	G
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	32 × 32 × H 127 cm (12"6 × 12"6 × H 50")	3,5 kg	5,5 kg	0,23 m³
1 × BOX	102 × 44 × H 21 cm (40"1 × 17"3 × H 8"3)	6,5 kg	8,5 kg	


CROSS SUSPENSION

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
028S1M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	6.090,00
028S1M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	6.090,00
028S1M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	6.090,00
028S1M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	6.090,00

DIMMING KIT

	NET PRICE €
DALI	90,00
TRIAC	105,00

DIMENSIONS



PRODUCT DETAILS	FUNCTION	WALL
	LOCATION	INTERIOR
	LIGHT EMISSION	DIFFUSED LIGHT
	LIGHT SOURCE	STRIP LED 8W/mt 2700°K 750lm CRI 90+ 24Vdc
		TOT. = 9,6W 900lm
	ENERGY EFFICIENCY	G
	RATED VOLTAGE	110 - 120 V / 220 - 240 V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.		


CERTIFICATION	UL/CE WIRED	⊕	⊗	IP20
---------------	-------------------------------	---	---	------

PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	85 × 42 × H 23 cm (33"5 × 16"5 × H 9"1)	3 kg	4 kg	0,8 m³

CROSS WALL	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	028W1M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	2.200,00
	028W1M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	2.200,00
	028W1M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	2.200,00
	028W1M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	2.200,00

DIMMING KIT		NET PRICE €
	DALI	90,00
	TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	CEILING
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 8,5W E27 LED 600lm - 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
DALI OR TRIAC REMOTE DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	40 × 40 × H 44 cm (15"7 × 15"7 × H 17"3)	2,7 kg	4 kg	0,12 m³
1 × BOX	51 × 21 × H 43 cm (20" × 8"2 × H 17")	5 kg	6 kg	

CROWN CEILING


CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
003C1M07C.CE/UL	MATTE BLACK NICKEL METAL	CRYSTAL GLASS	2.200,00
003C1M07R.CE/UL	MATTE BLACK NICKEL METAL	AMBER GLASS	2.500,00
003C1M07G.CE/UL	MATTE BLACK NICKEL METAL	SMOKE GREY GLASS	2.500,00
003C1M11C.CE/UL	LIGHT BURNISHED BRASS*	CRYSTAL GLASS	2.700,00
003C1M11R.CE/UL	LIGHT BURNISHED BRASS*	AMBER GLASS	3.050,00
003C1M11G.CE/UL	LIGHT BURNISHED BRASS*	SMOKE GREY GLASS	3.050,00

* Burnished brass finish on metal base.

REMOTEDIMMINGKIT

DALI - TRIAC	NET PRICE €
	115,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	36 × 2,7W COB LED 360lm 2700°K 320mA
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × CRATE	161 × 161 × H 65 cm (63"4 × 63"4 × H 25"6)	90 kg	195 kg	1,92 m³
4 × BOXES	41 × 31 × H 49 cm (16"1 × 12"2 × H 19"2)	16 kg	19 kg	

CROWN SUSPENSION
CIRCULAR


CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
003S2M07C.CE/UL	MATTE BLACK NICKEL METAL	CRYSTAL GLASS	29.950,00
003S2M07R.CE/UL	MATTE BLACK NICKEL METAL	AMBER GLASS	33.500,00
003S2M07G.CE/UL	MATTE BLACK NICKEL METAL	SMOKE GREY GLASS	33.500,00
003S2M11C.CE/UL	LIGHT BURNISHED BRASS*	CRYSTAL GLASS	31.950,00
003S2M11R.CE/UL	LIGHT BURNISHED BRASS*	AMBER GLASS	36.500,00
003S2M11G.CE/UL	LIGHT BURNISHED BRASS*	SMOKE GREY GLASS	36.500,00

* Burnished brass finish on metal base.

DIMMING KIT

	NET PRICE €
DALI	230,00
TRIAC	130,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	24 × 2,7W COB LED 360lm 2700°K 320mA
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × CRATE	153 × 79 × H 65 cm (60"2 × 31"1 × H 25"6)	90 kg	143 kg	0,97 m³
3 × BOXES	41 × 31 × H 49 cm (16"1 × 12"2 × H 19"2)	16 kg	19 kg	

CROWN SUSPENSION
ELLIPTICAL


CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
003S3M07C.CE/UL	MATTE BLACK NICKEL METAL	CRYSTAL GLASS	25.000,00
003S3M07R.CE/UL	MATTE BLACK NICKEL METAL	AMBER GLASS	26.520,00
003S3M07G.CE/UL	MATTE BLACK NICKEL METAL	SMOKE GREY GLASS	26.520,00
003S3M11C.CE/UL	LIGHT BURNISHED BRASS*	CRYSTAL GLASS	27.000,00
003S3M11R.CE/UL	LIGHT BURNISHED BRASS*	AMBER GLASS	29.500,00
003S3M11G.CE/UL	LIGHT BURNISHED BRASS*	SMOKE GREY GLASS	29.500,00

* Burnished brass finish on metal base.

DIMMING KIT

	NET PRICE €
DALI	230,00
TRIAC	130,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX8,5W E27 LED 600lm 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	42 × 53 × H 30 cm (16"5 × 20"9 × H 11"8)	4 kg	6 kg	0,12 m³
1 × BOX	51 × 21 × H 43 cm (20" × 8"2 × H 16"9)	3 kg	4 kg	



CROWN WALL

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
003W1M07C.CE/UL	MATTE BLACK NICKEL METAL	CRYSTAL GLASS	1.850,00
003W1M07R.CE/UL	MATTE BLACK NICKEL METAL	AMBER GLASS	2.050,00
003W1M07G.CE/UL	MATTE BLACK NICKEL METAL	SMOKE GREY GLASS	2.050,00
003W1M11C.CE/UL	LIGHT BURNISHED BRASS*	CRYSTAL GLASS	2.550,00
003W1M11R.CE/UL	LIGHT BURNISHED BRASS*	AMBER GLASS	2.700,00
003W1M11G.CE/UL	LIGHT BURNISHED BRASS*	SMOKE GREY GLASS	2.700,00

* Burnished brass finish on metal base.

REMOTEDIMMINGKIT

DALI - TRIAC	NET PRICE € 115,00
--------------	------------------------------




DIMENSIONS	EQUILIBRE COFFEE TABLE Ø 80	EQUILIBRE COFFEE TABLE Ø 58
	 39 cm (15"4)	 50 cm (19"7)
	Ø 80 cm (31"5)	Ø 58 cm (22"8)

PRODUCT DETAILS	FUNCTION LOCATION	COFFEE TABLE INTERIOR
-----------------	----------------------	--------------------------

PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
EQUILIBRE COFFEE TABLE Ø 80					
	1 × BOX	90 × 90 × H 22 cm (35"4 × 35"4 × 8"7)	14 kg	17 kg	0,30 m³
	1 × BOX	47 × 47 × H 56 cm (18"5 × 18"5 × 22")	8 kg	11 kg	
EQUILIBRE COFFEE TABLE Ø 58					
	1 × BOX	76 × 76 × H 22 cm (30" × 30" × 8"7)	10 kg	12 kg	0,27 m³
	1 × BOX	45 × 45 × H 67 cm (17"7 × 17"7 × 26"4)	7 kg	9 kg	

EQUILIBRE COFFEE TABLE Ø 80	CODE	TOP FINISH	BASE FINISH	PRICE €
	F.001T1M19BL	BLENDED BURNISHED BRASS	BLUE GLASS	3.350,00
	F.001T1M19G	BLENDED BURNISHED BRASS	SMOKE GREY GLASS	3.350,00
	F.001T1M20BL	BLENDED BURNISHED COPPER	BLUE GLASS	3.550,00
	F.001T1M20G	BLENDED BURNISHED COPPER	SMOKE GREY GLASS	3.550,00

EQUILIBRE COFFEE TABLE Ø 58	CODE	TOP FINISH	BASE FINISH	PRICE €
	F.001T2M19BL	BLENDED BURNISHED BRASS	BLUE GLASS	3.700,00
	F.001T2M19G	BLENDED BURNISHED BRASS	SMOKE GREY GLASS	3.700,00
	F.001T2M20BL	BLENDED BURNISHED COPPER	BLUE GLASS	3.850,00
	F.001T2M20G	BLENDED BURNISHED COPPER	SMOKE GREY GLASS	3.850,00

DIMENSIONS	LEFT	RIGHT
		
		
	32 cm (12"5)	32 cm (12"5)
	53 cm (21")	53 cm (21")
	5 cm (2")	5 cm (2")

PRODUCT DETAILS	FUNCTION LOCATION LIGHT EMISSION LIGHT SOURCE ENERGY EFFICIENCY RATED VOLTAGE FREQUENCY SUPPLY BALLAST	WALL INTERIOR DIFFUSED LIGHT STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80+ 24Vdc TOT. = 13W 1581lm F 110 - 120 V / 220 - 240 V 50 - 60Hz TERMINAL BLOCK BALLAST INCLUDED
	DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION	UL/CE    IP20
---------------	--


PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	70 × 60 × H 18 cm (27"6 × 23"6 × H 7")	3 kg	4,5 kg	0,08 m³

ESSENCE ALMOST WALL	CODE 015W2M07S.CE/UL 015W2M14S.CE/UL 015W3M07S.CE/UL 015W3M14S.CE/UL	STRUCTURE FINISH MATTE BLACK NICKEL METAL DELABRÉ BRASS MATTE BLACK NICKEL METAL DELABRÉ BRASS	DIFFUSER FINISH SATIN GLASS SATIN GLASS SATIN GLASS SATIN GLASS	PRICE € 2.160,00 2.160,00 2.160,00 2.160,00
---------------------	---	---	--	--

FRONT PLATE	CODE 015W2M16 015W2M17	FINISH PEWTER ANTIQUE COPPER
-------------	-------------------------------------	---

DIMMING KIT	DALI TRIAC	NET PRICE € 90,00 65,00
-------------	---------------	--------------------------------------

DIMENSIONS



PRODUCT DETAILS	FUNCTION	WALL
	LOCATION	INTERIOR
	LIGHT EMISSION	DIFFUSED LIGHT
	LIGHT SOURCE	STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80+ 24Vdc TOT. = 20W 2392lm
	ENERGY EFFICIENCY	F
	RATED VOLTAGE	110 - 120 V / 220 - 240 V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED
	DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	76 × 76 × H 22 cm (30" × 30" × H 8 7/8")	6 kg	9,5 kg	0,13 m³

ESSENCE WALL	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	015W1M07S.CE/UL	MATTE BLACK NICKEL METAL	SATIN GLASS	2.950,00
	015W1M14S.CE/UL	DELABRÉ BRASS	SATIN GLASS	2.950,00

FRONT PLATE	CODE	FINISH
	015W1M16	PEWTER
	015W1M17	ANTIQUÉ COPPER

DIMMING KIT	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	LED PLATE 500mA 18V 8,5W 2700°K 1200lm CRI 90
	DIMMABLE 1-10V
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DIMMABLE SWITCH
CABLE LENGTH	45 cm (18") 205 cm (81")


CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	46 × 47 × H 30 cm (18"1 × 18"5 × H 11"8)	4,5 kg	6,5 kg	0,06 m³

GLAM TABLE	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	014T1M03W.CE/UL	NATURAL BURNISHED BRASS + DARK BURNISHED BRASS	WHITE GLASS	2.950,00
	014T1M16W.CE/UL	PEWTER + DELABRÉ BRASS	WHITE GLASS	3.100,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	LED PLATE 500mA 18V 8,5W 2700°K 1200lm CRI 90
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	46 × 47 × H 30 cm (18"1 × 18"5 × H 11"8)	4 kg	6 kg	0,06 m³

GLAM WALL	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	014W1M03W.CE/UL	NATURAL BURNISHED BRASS + DARK BURNISHED BRASS	WHITE GLASS	2.500,00
	014W1M16W.CE/UL	PEWTER + DELABRÉ BRASS	WHITE GLASS	2.650,00

DIMMING KIT	NET PRICE €
DALI	115,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 9,6W/m 2700°K 1270lm/m CRI80+ 24Vdc TOT. = 1 × 12W LED 1590lm 2700°K + 2 × 17W LED 2225lm 2700°K
ENERGY EFFICIENCY	E
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	DIMMABLE BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	3 × BOXES	60 × 35 × H 29 cm (23"6 × 13"8 × H 11"4)	2 kg	2,5 kg	0,40 m³
	2 × BOXES	30 × 40 × H 63 cm (11"8 × 15"7 × H 24"8)	14 kg	16,5 kg	
	1 × BOX	30 × 40 × H 52 cm (11"8 × 15"7 × H 20"5)	11 kg	12,5 kg	
	CANOPY KIT				
	1 × BOX	70 × 60 × H 18 cm (27"6 × 23"6 × H 7"1)	6 kg	8 kg	0,08 m³


GRACE COMPOSITION	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	018S1MBC.CE/UL	MATTE BLACK METAL	CRYSTAL GLASS	8.400,00
	018S1MBR.CE/UL	MATTE BLACK METAL	AMBER GLASS	10.100,00
	018S1MBG.CE/UL	MATTE BLACK METAL	SMOKE GREY GLASS	10.100,00

J-BOX KIT (USA AND CANADA)	CODE	STRUCTURE FINISH	NET PRICE €
	018S1KITJ.MB	MATTE BLACK METAL	100,00

CANOPY KIT	CODE	STRUCTURE FINISH	NET PRICE €
	018S1KIT.MB	MATTE BLACK METAL	500,00

DIMMING KIT		NET PRICE €
	DALI	90,00
	TRIAC	105,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 9,6W/m 2700°K 1270lm/m CRI80+ 24Vdc TOT. = 1 x 12W LED 1590lm 2700°K
ENERGY EFFICIENCY	E
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	DIMMABLE BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION



PACKAGE


QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 x BOX	60 x 35 x H 29 cm (23"6 x 13"8 x H 11"4)	2 kg	2,5 kg	0,12 m³
1 x BOX	30 x 40 x H 52 cm (11"8 x 15"7 x H 20"5)	11 kg	12,5 kg	

GRACE SUSPENSION - S	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	018S2MBC.CE/UL	MATTE BLACK METAL	CRYSTAL GLASS	2.800,00
	018S2MBR.CE/UL	MATTE BLACK METAL	AMBER GLASS	3.450,00
	018S2MBG.CE/UL	MATTE BLACK METAL	SMOKE GREY GLASS	3.450,00

CANOPY KIT	CODE	STRUCTURE FINISH	NET PRICE €
	018S2KIT.MB	MATTE BLACK METAL	350,00

DIMMING KIT		NET PRICE €
	DALI	90,00
	TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 9,6W/m 2700°K 1270lm/m CRI80+ 24Vdc TOT. = 1 x 17W LED 2225lm 2700°K
ENERGY EFFICIENCY	E
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	DIMMABLE BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98 3/4")
STEEL CABLE LENGTH	250 cm (98 3/4")

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 x BOX	60 x 35 x H 29 cm (23 5/8 x 13 7/8 x H 11 1/4)	2 kg	2,5 kg	0,14 m³
1 x BOX	30 x 40 x H 63 cm (11 7/8 x 15 7/8 x H 24 3/8)	14 kg	16,5 kg	

GRACE SUSPENSION - L

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
018S3MBC.CE/UL	MATTE BLACK METAL	CRYSTAL GLASS	3.250,00
018S3MBR.CE/UL	MATTE BLACK METAL	AMBER GLASS	3.950,00
018S3MBG.CE/UL	MATTE BLACK METAL	SMOKE GREY GLASS	3.950,00


CANOPY KIT

CODE	STRUCTURE FINISH	NET PRICE €
018S2KIT.MB	MATTE BLACK METAL	350,00

DIMMING KIT

	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS	FUNCTION	SUSPENSION
	LOCATION	INTERIOR
	LIGHT EMISSION	DIFFUSED LIGHT
	LIGHT SOURCE	8 x MAX 1,5W G4 LED 200lm - 2700°K (BULBS EXCLUDED)
	RATED VOLTAGE	110 - 120V / 220 - 240V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED

CERTIFICATION

UL

WIRED/

CE


IP20

PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 x BOX	32 x 32 x H 127 cm (12"6 x 12"6 x 50")	4 kg	5 kg	0,45 m³
	1 x BOX	85 x 85 x H 44 cm (33"5 x 33"5 x 17"3)	9 kg	10 kg	

KITAMI SUSPENSION - L	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	004S1M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATIN GLASS	3.920,00
	004S1M05S.CE/UL	POLISHED GOLD METAL	SATIN GLASS	4.110,00
	004S1M07S.CE/UL	MATTE BLACK NICKEL METAL	SATIN GLASS	3.920,00
	004S1M11S.CE/UL	LIGHT BURNISHED BRASS*	SATIN GLASS	4.950,00

* Burnished brass finish on metal base.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	6 x MAX 1,5W G4 LED 200lm 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

CERTIFICATION



PACKAGE


QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 x BOX	32 x 32 x H 127 cm (12"6 x 12"6 x 50")	2,5 kg	4 kg	0,32 m³
1 x BOX	73 x 73 x H 35 cm (28"7 x 28"7 x 13"8)	3 kg	4 kg	

KITAMI SUSPENSION - M

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
004S2M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATING GLASS	3.625,00
004S2M05S.CE/UL	POLISHED GOLD METAL	SATING GLASS	3.795,00
004S2M07S.CE/UL	MATTE BLACK NICKEL METAL	SATING GLASS	3.625,00
004S2M11S.CE/UL	LIGHT BURNISHED BRASS*	SATING GLASS	4.500,00

* Burnished brass finish on metal base.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	4 × MAX 5W G9 LED 350lm 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

CERTIFICATION



PACKAGE


QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	64 × 100 × H 34 cm (25"2 × 39"4 × 13"4)	5 kg	6 kg	0,22 m³

KITAMI WALL

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
004W1M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATING GLASS	2.100,00
004W1M05S.CE/UL	POLISHED GOLD METAL	SATING GLASS	2.200,00
004W1M07S.CE/UL	MATTE BLACK NICKEL METAL	SATING GLASS	2.100,00
004W1M11S.CE/UL	LIGHT BURNISHED BRASS*	SATING GLASS	2.900,00

* Burnished brass finish on metal base.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	4 x MAX 5W G9 LED 350lm 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

CERTIFICATION



PACKAGE


QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 x BOX	64 x 100 x H 34 cm (25"2 x 39"4 x 13"4)	4,5 kg	6 kg	0,22 m³

KITAMI WALL - S

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
004W2M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATING GLASS	1.950,00
004W2M05S.CE/UL	POLISHED GOLD METAL	SATING GLASS	2.050,00
004W2M07S.CE/UL	MATTE BLACK NICKEL METAL	SATING GLASS	1.950,00
004W2M11S.CE/UL	LIGHT BURNISHED BRASS*	SATING GLASS	2.700,00

* Burnished brass finish on metal base.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 5W G9 LED 350lm 2700°K
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST EXCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	97 × 74 × H 30 cm (38"2 × 29"1 × H 11"8)	6 kg	8 kg	0,22 m³

LESS 1	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
GLASS SUSPENSION	016S1M03S.CE/UL	NATURAL BURNISHED BRASS	SATIN GLASS	2.150,00
HORIZONTAL	016S1M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATIN GLASS	1.750,00
	016S1M07S.CE/UL	MATTE BLACK NICKEL METAL	SATIN GLASS	1.800,00

LESS 1	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
GLASS SUSPENSION	016S2M03S.CE/UL	NATURAL BURNISHED BRASS	SATIN GLASS	2.150,00
VERTICAL	016S2M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATIN GLASS	1.750,00
	016S2M07S.CE/UL	MATTE BLACK NICKEL METAL	SATIN GLASS	1.800,00


DIMMING KIT

DALI - TRIAC	NET PRICE €
	115,00

NOTES

COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80+ 24Vdc TOT. = 12W 1470lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 x BOX	97 x 74 x H 30 cm (38"2 x 29"1 x H 11"8)	6 kg	8 kg	0,22 m ³


LESS 1 LED SUSPENSION HORIZONTAL	CODE 016S3M03S.CE/UL 016S3M04S.CE/UL 016S3M07S.CE/UL	STRUCTURE FINISH NATURAL BURNISHED BRASS POLISHED BLACK NICKEL METAL MATTE BLACK NICKEL METAL	DIFFUSER FINISH SATIN GLASS SATIN GLASS SATIN GLASS	PRICE € 2.250,00 1.900,00 2.150,00
--	--	---	---	--

LESS 1 LED SUSPENSION VERTICAL	CODE 016S4M03S.CE/UL 016S4M04S.CE/UL 016S4M07S.CE/UL	STRUCTURE FINISH NATURAL BURNISHED BRASS POLISHED BLACK NICKEL METAL MATTE BLACK NICKEL METAL	DIFFUSER FINISH SATIN GLASS SATIN GLASS SATIN GLASS	PRICE € 2.250,00 1.900,00 2.150,00
--------------------------------------	--	---	---	--

DIMMING KIT

DALI	NET PRICE €
TRIAC	90,00
	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	2 × MAX 5W G9 LED 350lm 2700°K
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST EXCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	97 × 74 × H 30 cm (38"2 × 29"1 × H 11"8)	10 kg	12 kg	0,22 m³

LESS 2	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
GLASS SUSPENSION	016S5M03S.CE/UL	NATURAL BURNISHED BRASS	SATIN GLASS	3.650,00
	016S5M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATIN GLASS	3.050,00
	016S5M07S.CE/UL	MATTE BLACK NICKEL METAL	SATIN GLASS	3.220,00


DIMMING KIT

DALI - TRIAC	NET PRICE €
	115,00

NOTES

COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80+ 24Vdc TOT. = 24W 2940lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE


QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	97 × 74 × H 30 cm (38"2 × 29"1 × H 11"8)	10 kg	12 kg	0,22 m ³

LESS 2	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
LED SUSPENSION	016S6M03S.CE/UL	NATURAL BURNISHED BRASS	SATING GLASS	4.030,00
	016S6M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATING GLASS	3.390,00
	016S6M07S.CE/UL	MATTE BLACK NICKEL METAL	SATING GLASS	3.690,00

DIMMING KIT

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80+ 24Vdc TOT. = 12W 1470lm + 1 × MAX 5W G9 LED 350lm 2700°K
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	97 × 74 × H 30 cm (38"2 × 29"1 × H 11"8)	10 kg	12 kg	0,22 m³

LESS 2 GLASS + LED SUSPENSION	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	016S7M03S.CE/UL	NATURAL BURNISHED BRASS	SATIN GLASS	3.800,00
	016S7M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATIN GLASS	3.250,00
	016S7M07S.CE/UL	MATTE BLACK NICKEL METAL	SATIN GLASS	3.490,00


DIMMING KIT

	NET PRICE €
DALI	205,00
TRIAC	180,00

NOTES

COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80+ 24Vdc TOT. = 12W 1470lm + 2 × MAX 5W G9 LED 350lm 2700°K
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	98 × 86 × H 40 cm (38"6 × 33"8 × H 15"7)	17 kg	22 kg	0,34 m³

LESS 3
SUSPENSION

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
016S8M03S.CE/UL	NATURAL BURNISHED BRASS	SATIN GLASS	5.400,00
016S8M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATIN GLASS	4.690,00
016S8M07S.CE/UL	MATTE BLACK NICKEL METAL	SATIN GLASS	4.995,00


DIMMING KIT

	NET PRICE €
DALI	205,00
TRIAC	180,00

NOTES

COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80+ 24Vdc TOT. = 3 × 12W 1470lm + 2 × MAX 5W G9 LED 350lm 2700°K
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	98 × 86 × H 40 cm (38"6 × 33"8 × H 15"7)	20 kg	25 kg	0,34 m ³

LESS 5 SUSPENSION	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	016S9M03S.CE/UL	NATURAL BURNISHED BRASS	SATIN GLASS	9.310,00
	016S9M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATIN GLASS	8.150,00
	016S9M07S.CE/UL	MATTE BLACK NICKEL METAL	SATIN GLASS	8.710,00


DIMMING KIT

	NET PRICE €
DALI	205,00
TRIAC	220,00

NOTES

COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × 4W 500mA 754lm 2700°K CRI 90
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	60 × 35 × H 29 cm (23"6 × 13"8 × H 11"4)	1,5 kg	2,5 kg	0,11 m³
1 × BOX	37 × 37 × H 39 cm (14"6 × 14"6 × H 15"4)	1,5 kg	2,5 kg	


MISTY SUSPENSION - S

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
020S2M03H.CE/UL	NATURAL BURNISHED BRASS	WHITE BLENDED GLASS	2.000,00
020S2M12H.CE/UL	DARK BURNISHED BRASS	WHITE BLENDED GLASS	2.000,00

DIMMING KIT

	NET PRICE €
DALI	115,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS	FUNCTION	SUSPENSION
	LOCATION	INTERIOR
	LIGHT EMISSION	DIFFUSED LIGHT
	LIGHT SOURCE	1 × 8W 500mA 1500lm 2700°K CRI 90
	ENERGY EFFICIENCY	F
	RATED VOLTAGE	110 - 120V / 220 - 240V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED
	WIRING CABLE LENGTH	250 cm (98"4)
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.		

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	60 × 35 × H 29 cm (23"6 × 13"8 × H 11"4)	1,5 kg	3 kg	0,17 m³
	1 × BOX	48 × 48 × H 46 cm (18"9 × 18"9 × H 18"1)	2,5 kg	5 kg	

MISTY SUSPENSION - M	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	020S1M03H.CE/UL 020S1M12H.CE/UL	NATURAL BURNISHED BRASS DARK BURNISHED BRASS	WHITE BLENDED GLASS WHITE BLENDED GLASS	2.200,00 2.200,00

DIMMING KIT		NET PRICE €
	DALI TRIAC	115,00 65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × 8W 500mA 1500lm 2700°K CRI 90
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	85 × 43 × H 30 cm (33"5 × 16"9 × H 11"8)	1,5 kg	3 kg	0,30 m³
1 × BOX	57 × 57 × H 57 cm (22"4 × 22"4 × H 22"4)	4 kg	6 kg	

MISTY SUSPENSION - L


CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
020S3M03H.CE/UL	NATURAL BURNISHED BRASS	WHITE BLENDED GLASS	2.500,00
020S3M12H.CE/UL	DARK BURNISHED BRASS	WHITE BLENDED GLASS	2.500,00

DIMMING KIT

	NET PRICE €
DALI	115,00
TRIAC	65,00

DIMENSIONS

Ø 35 cm (13"8)



Ø 15 cm (8")

PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × 8W 500mA 1500lm 2700°K CRI 90
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DIMMABLE WITH TOUCH DIMMER
BALLAST	BALLAST INCLUDED
CABLE LENGTH	45 cm (18") 205 cm (81")

CERTIFICATION



PACKAGE


QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	60 × 35 × H 29 cm (23"6 × 13"8 × H 11"4)	1,5 kg	2,5 kg	0,17 m³
1 × BOX	48 × 48 × H 46 cm (18"9 × 18"9 × H 18"1)	2,5 kg	5 kg	

MISTY TABLE

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
020T1M03H.CE/UL	NATURAL BURNISHED BRASS	WHITE BLENDED GLASS	2.250,00
020T1M12H.CE/UL	DARK BURNISHED BRASS	WHITE BLENDED GLASS	2.250,00

DIMENSIONS

Ø 25 cm (9"8)



36 cm (14")

Ø 12 cm (4"7)

PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × 4W 500mA 754lm 2700°K CRI 90
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DIMMABLE WITH TOUCH DIMMER
BALLAST	BALLAST INCLUDED
CABLE LENGTH	45 cm (18") 205 cm (81")

CERTIFICATION




PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	60 × 35 × H 29 cm (23"6 × 13"8 × H 11"4)	1,5 kg	2 kg	0,11 m³
1 × BOX	37 × 37 × H 39 cm (14"5 × 14"5 × H 15"4)	1,5 kg	2,5 kg	

MISTY TABLE - S

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
020T2M03H.CE/UL	NATURAL BURNISHED BRASS	WHITE BLENDED GLASS	2.150,00
020T2M12H.CE/UL	DARK BURNISHED BRASS	WHITE BLENDED GLASS	2.150,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	CEILING
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	5 × MAX 5W G9 LED 350LM 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60HZ
SUPPLY	TERMINAL BLOCK

DALI OR TRIAC REMOTE DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION




PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	141 × 87 × H 38 cm (55"5 × 34"2 × 14"9)	24 kg	30 kg	0,47 m³

MONDRIAN GLASS CEILING	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	005C1M03W.CE/UL	NATURAL BURNISHED BRASS	WHITE GLASS	8.800,00
	005C1M04W.CE/UL	POLISHED BLACK NICKEL METAL	WHITE GLASS	6.300,00
	005C1M05W.CE/UL	POLISHED GOLD METAL	WHITE GLASS	6.300,00
	005C1M07W.CE/UL	MATTE BLACK NICKEL METAL	WHITE GLASS	6.300,00
SUSPENSION KIT + CANOPY KIT	CODE	STRUCTURE FINISH		PRICE €
	005KITS.M03	NATURAL BURNISHED BRASS		250,00
	005KITS.M04	POLISHED BLACK NICKEL METAL		250,00
	005KITS.M05	POLISHED GOLD METAL		250,00
	005KITS.M07	MATTE BLACK NICKEL METAL		250,00
J-BOX KIT (USA AND CANADA)	CODE	STRUCTURE FINISH		PRICE €
	005CKITJ.M03	NATURAL BURNISHED BRASS		270,00
	005CKITJ.M04	POLISHED BLAK NICKEL METAL		270,00
	005CKITJ.M05	POLISHED GOLD METAL		270,00
	005CKITJ.M07	MATTE BLACK NICKEL METAL		270,00
REMOTE DIMMING KIT				NET PRICE €
	DALI - TRIAC			115,00
NOTES	COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.			

DIMENSIONS



PRODUCT DETAILS

FUNCTION	FLOOR
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	3 × MAX 5W G9 LED 350lm 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DIMMABLE SWITCH
CABLE LENGTH	90 cm (35") 160 cm (63")

CERTIFICATION



PACKAGE


QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	170 × 48 × H 30 cm (66"9 × 18"9 × H 11"8)	12 kg	14 kg	0,24 m³

MONDRIAN GLASS FLOOR	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	005F1M03W.CE/UL	NATURAL BURNISHED BRASS	WHITE GLASS	3.000,00
	005F1M04W.CE/UL	POLISHED BLACK NICKEL METAL	WHITE GLASS	2.200,00
	005F1M05W.CE/UL	POLISHED GOLD METAL	WHITE GLASS	2.200,00
	005F1M07W.CE/UL	MATTE BLACK NICKEL METAL	WHITE GLASS	2.200,00

NOTES

COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 5W G9 LED 350LM 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60HZ
SUPPLY	TERMINAL BLOCK
DALI OR TRIAC REMOTE DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	43 × 85 × H 30 cm (16 1/2 × 33 1/2 × 11 3/8)	4 kg	5,5 kg	0,11m³


MONDRIAN GLASS WALL	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	005W1M03W.CE/UL	NATURAL BURNISHED BRASS	WHITE GLASS	1.800,00
	005W1M04W.CE/UL	POLISHED BLACK NICKEL METAL	WHITE GLASS	1.270,00
	005W1M05W.CE/UL	POLISHED GOLD METAL	WHITE GLASS	1.270,00
	005W1M07W.CE/UL	MATTE BLACK NICKEL METAL	WHITE GLASS	1.270,00

J-BOX KIT (USA AND CANADA)	CODE	STRUCTURE FINISH	PRICE €
	005WKITJ.M03	NATURAL BURNISHED BRASS	235,00
	005WKITJ.M04	POLISHED BLACK NICKEL METAL	290,00
	005WKITJ.M05	POLISHED GOLD METAL	290,00
	005WKITJ.M07	MATTE BLACK NICKEL METAL	290,00

REMOTEDIMMINGKIT	DALI - TRIAC	NET PRICE € 115,00
------------------	--------------	------------------------------

NOTES	COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.
-------	---

DIMENSIONS



PRODUCT DETAILS

FUNCTION	CEILING
LOCATION	INTERIOR
LIGHT EMISSION	DIRECT AND INDIRECT LIGHT
LIGHT SOURCE	STRIP LED 15W/m 2700°K 1500lm/m CRI 90+ 24Vdc TOT. = 41W 4125lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	71 × 140 × H 25 cm (27"9 × 55"1 × 9"8)	10 kg	14 kg	0,25 m³

MONDRIAN LED CEILING

CODE	STRUCTURE FINISH	PRICE €
006C1M04.CE/UL	POLISHED BLACK NICKEL METAL	5,700,00
006C1M05.CE/UL	POLISHED GOLD METAL	5,700,00
006C1M07.CE/UL	MATTE BLACK NICKEL METAL	5,700,00
006C1M11.CE/UL	LIGHT BURNISHED BRASS*	6,900,00

* Burnished brass finish on metal base.

J-BOX KIT
(USA AND CANADA)


CODE	STRUCTURE FINISH	PRICE €
006CKITJ.M04	POLISHED BLACK NICKEL METAL	230,00
006CKITJ.M05	POLISHED GOLD METAL	230,00
006CKITJ.M07	MATTE BLACK NICKEL METAL	230,00
006CKITJ.M11	LIGHT BURNISHED BRASS*	350,00

* Burnished brass finish on metal base.

DIMMING KIT

	NET PRICE €
DALI	90,00
TRIAC	105,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIRECT AND INDIRECT LIGHT
LIGHT SOURCE	STRIP LED 15W/M 2700°K 1500LM/M CRI 90+ 24VDC TOT. = 18W 1800LM
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60HZ
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI or TRIAC dimming kit available upon request.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	85 × 85 × H 32 cm (33"5 × 33"5 × 12"6)	6 kg	8,5 kg	0,23 m³

MONDRIAN LED WALL	CODE	STRUCTURE FINISH	PRICE €
	006W1M04.CE/UL	POLISHED BLACK NICKEL METAL	2.550,00
	006W1M05.CE/UL	POLISHED GOLD METAL	2.550,00
	006W1M07.CE/UL	MATTE BLACK NICKEL METAL	2.550,00
	006W1M11.CE/UL	LIGHT BURNISHED BRASS*	3.500,00


* Burnished brass finish on metal base.

J-BOX KIT (USA AND CANADA)	CODE	STRUCTURE FINISH	PRICE €
	006WKITJ.M04	POLISHED BLACK NICKEL METAL	290,00
	006WKITJ.M05	POLISHED GOLD METAL	290,00
	006WKITJ.M07	MATTE BLACK NICKEL METAL	290,00
	006WKITJ.M11	LIGHT BURNISHED BRASS*	500,00

* Burnished brass finish on metal base.

DIMMING KIT		NET PRICE €
	DALI	95,00
	TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIRECT AND INDIRECT LIGHT
LIGHT SOURCE	STRIP LED 15W/m 2700°K 1500lm/m CRI 90+ 24Vdc TOT. = 20,5W 2055lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60HZ
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	102 × 102 × H 32 cm (40"2 × 40"2 × 12"6)	10 kg	14 kg	0,33 m³

MONDRIAN LED WALL
DOUBLE

CODE	STRUCTURE FINISH	PRICE €
006W2M04.CE/UL	POLISHED BLACK NICKEL METAL	4.300,00
006W2M05.CE/UL	POLISHED GOLD METAL	4.400,00
006W2M07.CE/UL	MATTE BLACK NICKEL METAL	4.300,00
006W2M11.CE/UL	LIGHT BURNISHED BRASS*	4.950,00

* Burnished brass finish on metal base.

J-BOX KIT
(USA AND CANADA)


CODE	STRUCTURE FINISH	PRICE €
006W2KITJ.M04	POLISHED BLAK NICKEL METAL	240,00
006W2KITJ.M05	POLISHED GOLD METAL	240,00
006W2KITJ.M07	MATTE BLACK NICKEL METAL	240,00
006W2KITJ.M11	LIGHT BURNISHED BRASS*	300,00

* Burnished brass finish on metal base.

DIMMING KIT

	NET PRICE €
DALI	95,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	FLOOR
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 9,6W/m 2700°K 1270lm/m CRI 80+ 24Vdc TOT. = 52W 6929lm
ENERGY EFFICIENCY	E
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	ON / OFF
CABLE LENGTH	90 cm (35") 160 cm (63")


CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × CRATE	168 × 52 × H 67 cm (66"1 × 20"5 × H 26"4)	37 kg	82 kg	0,75 m³
	1 × BOX	36 × 27 × H 160 cm (14"2 × 10"6 × 63")	15 kg	20 kg	

NUMA FLOOR	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	010F1M12C.CE/UL	DARK BURNISHED BRASS	CRYSTAL GLASS	9.800,00
	010F1M12R.CE/UL	DARK BURNISHED BRASS	AMBER GLASS	10.250,00
	010F1M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	10.250,00

DIMENSIONS



PRODUCT DETAILS	FUNCTION	SUSPENSION
	LOCATION	INTERIOR
	LIGHT EMISSION	DIFFUSED LIGHT
	LIGHT SOURCE	1 × 16W LED 1340lm 2700°K
	ENERGY EFFICIENCY	F
	RATED VOLTAGE	110 - 120 V / 220 - 240 V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	WIRING CABLE LENGTH	250 cm (98"4)
	STEEL CABLE LENGTH	250 cm (98"4)
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.		


CERTIFICATION	UL/CE	WIRELESS	IP20
---------------	-------	----------	------

PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	37 × 37 × H 86 cm (14"6 × 14"6 × 33"9)	8 kg	9,5 kg	0,19 m³
	1 × BOX	20 × 51 × H 73 cm (7"9 × 20" × 28"7)	7 kg	8 kg	

NUMA SUSPENSION	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	010S1M12C.CE/UL	DARK BURNISHED BRASS	CRYSTAL GLASS	5.000,00
	010S1M12R.CE/UL	DARK BURNISHED BRASS	AMBER GLASS	5.450,00
	010S1M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	5.450,00

DIMMING KIT		NET PRICE €
	DALI - TRIAC	115,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIRECT AND INDIRECT LIGHT
LIGHT SOURCE	STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80+ 24Vdc Tot. = 13W 1554lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1× BOX	63 × 37 × H 27 cm (24"8 × 14"5 × 10"6)	6 kg	7 kg	0,11m³
1× BOX	41 × 21 × H 56 cm (16"1 × 8"3 × 22")	3 kg	4 kg	

NUMA SUSPENSION


CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
010W1M12C.CE/UL	DARK BURNISHED BRASS	CRYSTAL GLASS	3.750,00
010W1M12R.CE/UL	DARK BURNISHED BRASS	AMBER GLASS	3.900,00
010W1M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	3.900,00

DIMMING KIT

	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS



EXAMPLE



RIGHT/LEFT TUBE

CENTRAL TUBE

TRAY



PRODUCT DETAILS

FUNCTION
LOCATION

BOOKCASE
INTERIOR

RIGHT/LEFT TUBE

CODE
F.009B1M20
F.009B1MB

STRUCTURE FINISH
BLENDED BURNISHED COPPER
MATTE BLACK METAL

PRICE €
900,00
670,00

CENTRAL TUBE

CODE
F.009B2M20
F.009B2MB

STRUCTURE FINISH
BLENDED BURNISHED COPPER
MATTE BLACK METAL


PRICE €
900,00
670,00

TRAY

CODE
F.009B3M20
F.009B3MB

STRUCTURE FINISH
BLENDED BURNISHED COPPER
MATTE BLACK METAL

PRICE €
375,00
210,00




PRODUCT DETAILS	FUNCTION	FLOOR
	LOCATION	INTERIOR
	LIGHT EMISSION	DIFFUSED LIGHT
	LIGHT SOURCE	STRIP LED 12,5W/m 2700°K 1380lm/m CRI 90+ 24Vdc TOT. = 14,5W 1587lm
	ENERGY EFFICIENCY	E
	RATED VOLTAGE	110 - 120V / 220 - 240V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	DIMMABLE BALLAST INCLUDED
	CABLE LENGTH	 90 cm (35") 160 cm (63")



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1× WOODEN CAGE	169 × 53 × H 67 cm (66"5 × 20"9 × H 26"4)	7 kg	35 kg	0,60 m³

OPTICAL FLOOR	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	024F1M03C.CE	NATURAL BURNISHED BRASS	CRYSTAL GLASS	2.950,00
	024F1M03G.CE	NATURAL BURNISHED BRASS	AMBER GLASS	3.050,00
	024F1M03R.CE	NATURAL BURNISHED BRASS	SMOKE GREY GLASS	3.050,00
	024F1M12C.CE	DARK BURNISHED BRASS	CRYSTAL GLASS	2.950,00
	024F1M12G.CE	DARK BURNISHED BRASS	AMBER GLASS	3.050,00
	024F1M12R.CE	DARK BURNISHED BRASS	SMOKE GREY GLASS	3.050,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 12,5W/m 2700°K 1380lm/m CRI 90+ 24Vdc TOT. = 25W 1976lm
ENERGY EFFICIENCY	E
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE


QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × WOODEN CAGE	165 × 39 × H 35 cm (65" × 15"4 × H 13"8)	5 kg	25 kg	0,22 m ³

OPTICAL SUSPENSION 1	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	024S2M03C.CE	NATURAL BURNISHED BRASS	CRYSTAL GLASS	2.100,00
	024S2M03G.CE	NATURAL BURNISHED BRASS	AMBER GLASS	2.200,00
	024S2M03R.CE	NATURAL BURNISHED BRASS	SMOKE GREY GLASS	2.200,00
	024S2M12C.CE	DARK BURNISHED BRASS	CRYSTAL GLASS	2.100,00
	024S2M12G.CE	DARK BURNISHED BRASS	AMBER GLASS	2.200,00
	024S2M12R.CE	DARK BURNISHED BRASS	SMOKE GREY GLASS	2.200,00

J-BOX KIT (USA AND CANADA)	CODE	STRUCTURE FINISH	NET PRICE €
	024S2KITJ.MB	MATTE BLACK METAL	100,00

DIMMING KIT		NET PRICE €
	DALI	90,00
	TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 12,5W/m 2700°K 1380lm/m CRI 90+ 24Vdc TOT. = 37,5W 4140lm
ENERGY EFFICIENCY	E
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × WOODEN CAGE	133 × 61 × H 49 cm (52"4 × 24" × H 19"3)	14 kg	40 kg	0,40 m³

OPTICAL SUSPENSION 3	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	024S1M03C.CE	NATURAL BURNISHED BRASS	CRYSTAL GLASS	4.950,00
	024S1M03G.CE	NATURAL BURNISHED BRASS	AMBER GLASS	5.100,00
	024S1M03R.CE	NATURAL BURNISHED BRASS	SMOKE GREY GLASS	5.100,00
	024S1M12C.CE	DARK BURNISHED BRASS	CRYSTAL GLASS	4.950,00
	024S1M12G.CE	DARK BURNISHED BRASS	AMBER GLASS	5.100,00
	024S1M12R.CE	DARK BURNISHED BRASS	SMOKE GREY GLASS	5.100,00

DIMMING KIT	NET PRICE €
DALI	90,00
TRIAC	105,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 12,5W/m 2700°K 1380lm/m CRI 90+ 24Vdc TOT. = 5W 552lm
ENERGY EFFICIENCY	E
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	DIMMABLE BALLAST INCLUDED
CABLE LENGTH	45 cm (18") 205 cm (81")

CERTIFICATION




PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	62 × 55 × H 36 cm (24"4 × 21"6 × H 14"2)	4 kg	5 kg	0,12 m³

OPTICAL TABLE

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
024T1M03C.CE	NATURAL BURNISHED BRASS	CRYSTAL GLASS	1.900,00
024T1M03G.CE	NATURAL BURNISHED BRASS	AMBER GLASS	1.950,00
024T1M03R.CE	NATURAL BURNISHED BRASS	SMOKE GREY GLASS	1.950,00
024T1M12C.CE	DARK BURNISHED BRASS	CRYSTAL GLASS	1.900,00
024T1M12G.CE	DARK BURNISHED BRASS	AMBER GLASS	1.950,00
024T1M12R.CE	DARK BURNISHED BRASS	SMOKE GREY GLASS	1.950,00

DIMENSIONS



PRODUCT DETAILS	FUNCTION	WALL
	LOCATION	INTERIOR
	LIGHT EMISSION	DIFFUSED LIGHT
	LIGHT SOURCE	STRIP LED 12,5W 24V 1380lm 2700°K - DIMMABLE
		TOT. = 7W 759lm
	ENERGY EFFICIENCY	E
	RATED VOLTAGE	110 - 120V / 220 - 240V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.		

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	75 × 29 × H 25 cm (29"5 × 11"4 × H 9"8)	3 kg	4 kg	0,05 m³

OPTICAL WALL	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	024W1M03C.CE	NATURAL BURNISHED BRASS	CRYSTAL GLASS	1.450,00
	024W1M03G.CE	NATURAL BURNISHED BRASS	AMBER GLASS	1.500,00
	024W1M03R.CE	NATURAL BURNISHED BRASS	SMOKE GREY GLASS	1.500,00
	024W1M12C.CE	DARK BURNISHED BRASS	CRYSTAL GLASS	1.450,00
	024W1M12G.CE	DARK BURNISHED BRASS	AMBER GLASS	1.500,00
	024W1M12R.CE	DARK BURNISHED BRASS	SMOKE GREY GLASS	1.500,00

DIMMING KIT	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	FLOOR
LOCATION	INTERIOR
LIGHT EMISSION	DIRECT AND DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 9,6W/m 2700°K 1270lm/m CRI 80+ 24Vdc TOT. = 16W 813lm + 2 × MAX 5W G9 LED 350lm 2700°K (BULBS EXCLUDED) DOUBLE LIGHT SOURCE
ENERGY EFFICIENCY	E
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DOUBLE WIRING
CABLE LENGTH	90 cm (35") 160 cm (63")

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	166 × 108 × H 42 cm (65"4 × 42"5 × 16"5)	11 kg	33 kg	0,75 m³


PINOCCHIO FLOOR	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	011F1M12CW.CE/UL	DARK BURNISHED BRASS* + POLISHED GOLD METAL SPHERES	WHITE GLASS + CRYSTAL GLASS	4.600,00
	011F1M12RW.CE/UL	DARK BURNISHED BRASS* + POLISHED GOLD METAL SPHERES	WHITE GLASS + AMBER GLASS	4.650,00
	011F1M12GW.CE/UL	DARK BURNISHED BRASS* + POLISHED GOLD METAL SPHERES	WHITE GLASS + SMOKE GREY GLASS	4.650,00
	011F1M07CW.CE/UL	MATTE BLACK NICKEL METAL + POLISHED BLACK NICKEL METAL SPHERES	WHITE GLASS + CRYSTAL GLASS	4.600,00
	011F1M07RW.CE/UL	MATTE BLACK NICKEL METAL + POLISHED BLACK NICKEL METAL SPHERES	WHITE GLASS + AMBER GLASS	4.650,00
	011F1M07GW.CE/UL	MATTE BLACK NICKEL METAL + POLISHED BLACK NICKEL METAL SPHERES	WHITE GLASS + SMOKE GREY GLASS	4.650,00

*Burnished brass finish on metal base.

NOTES

COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.

58 cm (23")



FLOOR
INTERIOR
DIRECTIONAL LIGHT
1 × MAX 6W GU10 PAR 16 LED 560lm 2700°K - DIMMABLE (BULBS EXCLUDED)
110 - 120V / 220 - 240V
50 - 60Hz
POWER CORD
ON/OFF SWITCH




90 cm (35") 160 cm (63")



TOTAL VOL.
0,18 m³

PRICE €
2.350,00
1.950,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIRECTIONAL LIGHT
LIGHT SOURCE	1 × MAX 6W GU10 PAR 16 LED 560lm 2700°K - DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	ON/OFF SWITCH
CABLE LENGTH	45 cm (18") 205 cm (81")

CERTIFICATION




PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	70 × 60 × H 18 cm (27"6 × 23"6 × 7"1)	2,5 kg	5 kg	0,08 m³

RECTUS TABLE

CODE	STRUCTURE FINISH	PRICE €
017T1M07.CE/UL	MATTE BLACK NICKEL METAL	1.700,00
017T1M12.CE/UL	DARK BURNISHED BRASS	1.350,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIRECTIONAL LIGHT
LIGHT SOURCE	1 × MAX 6W GU10 PAR 16 LED 560lm 2700°K - DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz


DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	70 × 60 × H 18 cm (27"6 × 23"6 × 7"1)	2,5 kg	5 kg	0,08 m³
RECTUS WALL TURNING ARM	CODE	STRUCTURE FINISH			PRICE €
	017W1M07.CE/UL	MATTE BLACK NICKEL METAL			1.900,00
	017W1M12.CE/UL	DARK BURNISHED BRASS			1.600,00
J-BOX KIT (USA AND CANADA)	CODE	STRUCTURE FINISH			PRICE €
	017W1KITJ.M07	MATTE BLACK NICKEL			300,00
	017W1KITJ.M12	DARK BURNISHED BRASS			300,00
DIMMING KIT + CANOPY KIT	DALI - TRIAC				NET PRICE € 515,00
REMOTE DIMMING KIT	DALI - TRIAC				NET PRICE € 115,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIRECTIONAL LIGHT
LIGHT SOURCE	1 × MAX 6W GU10 PAR 16 LED 560lm 2700°K - DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	ON/OFF SWITCH
CABLE LENGTH	45 cm (18") 205 cm (81")

DIMMER INCLUDED ON LIGHT SWITCH.

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	70 × 60 × H 18 cm (27"6 × 23"6 × 7"1)	2,5 kg	5 kg	0,08 m³

RECTUS WALL TURNING ARM (EXTERNAL WIRE)	CODE	STRUCTURE FINISH	PRICE €
	017W2M07.CE/UL	MATTE BLACK NICKEL METAL	1.900,00
	017W2M12.CE/UL	DARK BURNISHED BRASS	1.600,00

DIMENSIONS


RING COFFEE TABLE Ø 70

RING COFFEE TABLE Ø 45



32 cm (12'6)

Ø 70 cm (27'6)



43 cm (17'')

Ø 45 cm (17'7)

PRODUCT DETAILS

FUNCTION
LOCATION

COFFEE TABLE
INTERIOR

PACKAGE

QTY

DIMENSIONS

NET WEIGHT

GROSS WEIGHT

TOTAL VOL.

RING COFFEE TABLE Ø 70

1 x CRATE 91 x 91 x H 62 cm (35'8 x 35'8 x H 24'4)

40 kg

80 kg

0,51m³

RING COFFEE TABLE Ø 45

1 x CRATE 66 x 66 x H 73 cm (26' x 26' x H 28'7)

23 kg

50 kg

0,32m³

RING COFFEE TABLE Ø 70

CODE

F.007T1M21

BASE FINISH

BLENDED BURNISHED METAL

PRICE €

3.250,00

RING COFFEE TABLE Ø 45

CODE

F.007T2M21


BASE FINISH

BLENDED BURNISHED METAL

PRICE €


2.850,00

DIMENSIONS



PRODUCT DETAILS	FUNCTION LOCATION		COFFEE TABLE INTERIOR		
PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × CRATE	68 × 68 × H 75 cm (26"8 × 26"8 × 29"5)	54 kg	80 kg	0,35 m³
ROCK COFFEE TABLE	CODE	TOP FINISH	BASE FINISH	PRICE €	
	F.006T1M12TR	DARK BURNISHED BRASS	TRAVERTINE MARBLE	4.000,00	
	F.006T1M14TR	DELABRÉ BRASS	TRAVERTINE MARBLE	4.000,00	

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × 4W COB LED 350lm 2700°K CRI80
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK

DALI OR TRIAC REMOTE DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	60 × 35 × H 29 cm (23"6 × 13"8 × 11"4)	2 kg	3 kg	0,06 m³


ROOT ONE WALL	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	013W1M12W.CE/UL	DARK BURNISHED BRASS	WHITE GLASS	1.900,00

REMOTE DIMMING KIT	DALI - TRIAC	NET PRICE €
		115,00

DIMENSIONS



J-BOX KIT



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × 1,7W COB LED 168lm 2700°K
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	60 × 35 × H 29 cm (23"6 × 13"8 × 11"4)	2 kg	2,5 kg	0,06 m³


ROOT ONE WALL SLIM

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
013W2M18W.CE/UL	BRUSHED BURNISHED BRASS	WHITE GLASS	1.500,00
013W2M18G.CE/UL	BRUSHED BURNISHED BRASS	SMOKE GREY GLASS	1.550,00

J-BOX KIT
(USA AND CANADA)

CODE	STRUCTURE FINISH	NET PRICE €
013W2KITJ.M18	Brushed burnished brass	350,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	10 × MAX 5W G9 LED 350lm 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK


DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE	QTY 1 × BOX	DIMENSIONS 180 × 90 × H 52 cm (70"9 × 35"4 × 20"5)	NET WEIGHT 6 kg	GROSS WEIGHT 17 kg	TOTAL VOL. 0,84 m³
ROOTS CHANDELIER	CODE 013S1M12S.CE/UL	STRUCTURE FINISH DARK BURNISHED BRASS	DIFFUSER FINISH SATIN GLASS	PRICE € 10.500,00	
DIMMING KIT	DALI - TRIAC			NET PRICE € 115,00	

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	20 × MAX 5W G9 LED 350lm 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK


DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	180 × 90 × H 52 cm (70"9 × 35"4 × 20"5)	7 kg	18 kg	0,84 m³
ROOTS CHANDELIER DOUBLE	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €	
	013S2M12S.CE/UL	DARK BURNISHED BRASS	SATIN GLASS	15.000,00	
DIMMING KIT				NET PRICE €	
	DALI - TRIAC			115,00	

DIMENSIONS



PRODUCT DETAILS

FUNCTION	FLOOR
LOCATION	INTERIOR
LIGHT EMISSION	INDIRECT LIGHT
LIGHT SOURCE	STRIP LED 15W/m 2700°K 1500lm/m CRI 90+ 24Vdc TOT. = 45W 4500lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	ON / OFF
CABLE LENGTH	90 cm (35") 160 cm (63")

CERTIFICATION




PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × CRATE	182 × 56 × H 58 cm (71"7 × 22" × 22"8)	44 kg	93 kg	0,59 m³

SECRET FLOOR

CODE	STRUCTURE FINISH	PRICE €
012F1M11.CE/UL	LIGHT BURNISHED BRASS + MATTE BLACK METAL	6.500,00

DIMENSIONS



PRODUCT DETAILS	FUNCTION	WALL
	LOCATION	INTERIOR
	LIGHT EMISSION	DIRECT AND INDIRECT LIGHT
	LIGHT SOURCE	STRIP LED 15W/m 2700°K 1500lm/m CRI 90+ 24Vdc TOT. = 18W 1800lm
	ENERGY EFFICIENCY	F
	RATED VOLTAGE	110 - 120 V / 220 - 240 V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED
	DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION	UL WIRED/ CE IP20
---------------	--


PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	63 × 37 × H 27 cm (24"8 × 14"5 × 10"6)	9 kg	10 kg	0,06 m³

SECRET WALL	CODE	STRUCTURE FINISH	PRICE €
	012W1M11.CE/UL	LIGHT BURNISHED BRASS + MATTE BLACK METAL	2100,00


DIMMING KIT	NET PRICE €	
DALI	90,00	
TRIAC	65,00	

DIMENSIONS

SERGE CABINET - S




SERGE CABINET - L




PRODUCT DETAILS	FUNCTION LOCATION		CABINET INTERIOR		
PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
SERGE CABINET - S					
	1 × CRATE	136 × 75 × H 95 cm (53"5 × 29"5 × H 37"4)	175 kg	230 kg	0,97 m³
SERGE CABINET - L					
	1 × CRATE	188 × 68 × H 100 cm (74" × 26"8 × H 39"4)	210 kg	275 kg	1,28 m³
SERGE CABINET - S	CODE F.002C1M02BM	STRUCTURE FINISH DARK STRIPED BRONZE METAL	TOP FINISH ANTIQUE BRONZE MIRROR	PRICE € 13.500,00	
SERGE CABINET - L	CODE F.002C2M02BM F.002C2M23SM	STRUCTURE FINISH DARK STRIPED BRONZE METAL BLACK IRON	TOP FINISH ANTIQUE BRONZE MIRROR ANTIQUE SILVER MIRROR	PRICE € 22.000,00 22.000,00	

DIMENSIONS

SERGE TABLE




SERGE TABLE CIRCULAR



PRODUCT DETAILS	FUNCTION LOCATION	TABLE INTERIOR		
PACKAGE	AVAILABLE UPON REQUEST.			
SERGE TABLE	CODE F.002T2M02TR F.002T2M20CR	STRUCTURE FINISH DARK STRIPED BRONZE METAL BLENDED BURNISHED COPPER	TOP FINISH TRAVERTINE MARBLE CIPOLLINO ROSSO MARBLE	PRICE € 13.800,00 20.400,00
SERGE TABLE CIRCULAR	CODE F.002T1M02TR	STRUCTURE FINISH DARK STRIPED BRONZE METAL	TOP FINISH TRAVERTINE MARBLE	PRICE € UPON REQUEST

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 19,2W/m 2700°K 1670lm/m CRI 90+ 24Vdc TOT. = 13,5W 1179lm
ENERGY EFFICIENCY	G
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	32 × 32 × H 127 cm (12"6 × 12"6 × H 50")	2,5 kg	4 kg	0,24 m³
	1 × BOX	48 × 48 × H 46 cm (18"9 × 18"9 × H 18"1)	11 kg	13 kg	

SOUL SUSPENSION	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	025S1MBS.CE	MATTE BLACK METAL	SATIN GLASS	2.200,00
	025S1M11S.CE	LIGHT BURNISHED BRASS*	SATIN GLASS	3.500,00

* Burnished brass finish on metal base.

DIMMING KIT	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS	FUNCTION	CEILING
	LOCATION	INTERIOR
	LIGHT EMISSION	INDIRECT DOWNWARD LIGHT
	LIGHT SOURCE	STRIP LED 15W/m 2700°K 1900lm/m CRI 80+ 24Vdc
		TOT. = 13,5W 1710lm + 1 × MAX 5W G9 LED 350lm 2700°K
	ENERGY EFFICIENCY	G
	RATED VOLTAGE	110 - 120 V / 220 - 240 V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.		

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	170 × 48 × H 30 cm (66"9 × 18"9 × H 11"8)	4 kg	8,5 kg	0,24 m³

SPEAR CEILING	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	019C3M04S.CE/UL	POLISHED BLACK NICKEL METAL	SATIN GLASS	2.200,00
	019C3M07S.CE/UL	MATTE BLACK NICKEL METAL	SATIN GLASS	2.200,00
	019C3M11S.CE/UL	LIGHT BURNISHED BRASS*	SATIN GLASS	2.700,00

* Burnished brass finish on metal base.

DIMMING KIT		NET PRICE €
	DALI	205,00
	TRIAC	180,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	CEILING
LOCATION	INTERIOR
LIGHT EMISSION	INDIRECT DOWNWARD LIGHT
LIGHT SOURCE	STRIP LED 15W/m 2700°K 1900lm/m CRI 80+ 24Vdc TOT. = 26W 3325lm
ENERGY EFFICIENCY	G
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	74 × 51 × H 33 cm (29"1 × 20"1 × H 13")	3 kg	5 kg	0,20 m³
1 × BOX	85 × 42 × H 23 cm (33"5 × 16"5 × H 9"1)	7 kg	9 kg	

SPEAR CHANDELIER


CODE	STRUCTURE FINISH	PRICE €
019C1M04.CE/UL	POLISHED BLACK NICKEL METAL	5.600,00
019C1M07.CE/UL	MATTE BLACK NICKEL METAL	6.250,00
019C1M11.CE/UL	LIGHT BURNISHED BRASS*	6.900,00

* Burnished brass finish on metal base.

DIMMING KIT

	NET PRICE €
DALI	90,00
TRIAC	130,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	CEILING
LOCATION	INTERIOR
LIGHT EMISSION	INDIRECT DOWNWARD LIGHT
LIGHT SOURCE	STRIP LED 15W/m 2700°K 1900lm/m CRI 80+ 24Vdc TOT. = 18W 2280lm
ENERGY EFFICIENCY	G
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	74 × 51 × H 33 cm (29"1 × 20"1 × H 13")	3 kg	5 kg	0,20 m³
	1 × BOX	85 × 42 × H 23 cm (33"5 × 16"5 × H 9"1)	5 kg	7 kg	


SPEAR CHANDELIER - S	CODE	STRUCTURE FINISH	PRICE €
	019C2M04.CE/UL	POLISHED BLACK NICKEL METAL	5.600,00
	019C2M07.CE/UL	MATTE BLACK NICKEL METAL	6.250,00
	019C2M11.CE/UL	LIGHT BURNISHED BRASS*	6.900,00

* Burnished brass finish on metal base.


DIMMING KIT	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS

STAR CABINET




STAR CABINET FLAT



PRODUCT DETAILS		FUNCTION LOCATION	CABINET INTERIOR			
PACKAGE	QTY	DIMENSIONS		NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
STAR CABINET						
	1 × CRATE	202 × 62 × H 96 cm (79"5 × 24"4 × 37"8)		180 kg	245 kg	1,20 m³
STAR CABINET FLAT						
	1 × CRATE	202 × 62 × H 62 cm (79"5 × 24"4 × H 24"4)		160 kg	220 kg	0,78 m³
STAR CABINET	CODE F.008C1M20CR	LEGS FINISH BLENDED BURNISHED COPPER		STRUCTURE FINISH CIPOLLINO ROSSO MARBLE		PRICE € 29.000,00
STAR CABINET FLAT	CODE F.008C2CW	STRUCTURE FINISH WHITE CARRARA MARBLE		PRICE € 21.000,00		

DIMENSIONS



PRODUCT DETAILS	FUNCTION	SUSPENSION
	LOCATION	INTERIOR
	LIGHT EMISSION	DIFFUSED LIGHT
	LIGHT SOURCE	48 LED 8W 500mA 1500lm 2700°K CRI 90
	ENERGY EFFICIENCY	F
	RATED VOLTAGE	110 - 120 V / 220 - 240 V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED
	DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	68 × 30 × H 30 cm (26"8 × 11"8 × H 11"8)	2,5 kg	4 kg	0,25 m³
	1 × BOX	57 × 57 × H 57 cm (22"4 × 22"4 × H 22"4)	5 kg	7 kg	

TROU SUSPENSION	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	026S1M11W.CE	LIGHT BURNISHED BRASS	WHITE GLASS	2.800,00
	026S1M11DG.CE	LIGHT BURNISHED BRASS	DOVE GREY GLASS	2.950,00
	026S1M12W.CE	DARK BURNISHED BRASS	WHITE GLASS	2.800,00
	026S1M12DG.CE	DARK BURNISHED BRASS	DOVE GREY GLASS	2.950,00

DIMMING KIT		NET PRICE €
	DALI	115,00
	TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	4 x MAX 6W E14 LED 470lm 2700°K - DIMMABLE
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 x BOX	97 x 35 x H 37 cm (38"2 x 13"8 x 14"6)	4 kg	6 kg	0,20 m ³
1 x BOX	63 x 43 x H 25 cm (24"8 x 16"9 x 9"8)	3 kg	4,5 kg	

UNIQUE SUSPENSION

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
022S1M11W.CE	LIGHT BURNISHED BRASS*	WHITE GLASS	6.900,00
022S1M11S.CE	LIGHT BURNISHED BRASS*	SATIN GLASS	6.950,00
022S1M11AL.CE	LIGHT BURNISHED BRASS*	ALABASTER GLASS	6.950,00
022S1M12W.CE	DARK BURNISHED BRASS*	WHITE GLASS	6.900,00
022S1M12S.CE	DARK BURNISHED BRASS*	SATIN GLASS	6.950,00
022S1M12AL.CE	DARK BURNISHED BRASS*	ALABASTER GLASS	6.950,00


* Burnished brass finish on metal base.

DIMMING KIT

DALI - TRIAC

NET PRICE €
115,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 6W E14 LED 470lm 2700°K
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
DALI OR TRIAC REMOTE DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	46 × 47 × H 30 cm (18"1 × 18"5 × H 11"8)	2,5 kg	3,5 kg	0,06 m³


UNIQUE WALL	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	022W1M11W.CE/UL	LIGHT BURNISHED BRASS*	WHITE GLASS	1.500,00
	022W1M11S.CE/UL	LIGHT BURNISHED BRASS*	SATIN GLASS	1.500,00
	022W1M11AL.CE/UL	LIGHT BURNISHED BRASS*	ALABASTER GLASS	1.650,00
	022W1M12W.CE/UL	DARK BURNISHED BRASS*	WHITE GLASS	1.500,00
	022W1M12S.CE/UL	DARK BURNISHED BRASS*	SATIN GLASS	1.500,00
	022W1M12AL.CE/UL	DARK BURNISHED BRASS*	ALABASTER GLASS	1.650,00

* Burnished brass finish on metal base.

J-BOX KIT (USA AND CANADA)	CODE	STRUCTURE FINISH	PRICE €
	022WKITJ.M11	LIGHT BURNISHED BRASS*	150,00
	022WKITJ.M12	DARK BURNISHED BRASS*	150,00

REMOTE DIMMING KIT	DALI - TRIAC	NET PRICE €
		115,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	COFFEE TABLE
LOCATION	INTERIOR

PACKAGE


QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	80 × 80 × H 50 cm (31"5 × 31"5 × H 19"7)	8 kg	10 kg	0,32 m³

URBAN COFFEE TABLE

CODE	STRUCTURE FINISH	PRICE €
F.004T1M11MB	LIGHT BURNISHED BRASS* + MATTE BLACK METAL	2.500,00
F.004T1M04MB	POLISHED BLACK NICKEL + MATTE BLACK METAL	2.500,00

* Burnished brass finish on metal base.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	FLOOR
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 6W E14 LED 470lm 2700°K - DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DIMMABLE SWITCH
CABLE LENGTH	90 cm (35") 160 cm (63")

CERTIFICATION



PACKAGE


QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	147 × 52 × H 30 cm (57"9 × 20"5 × 11"8)	6 kg	9 kg	0,23 m³

URBAN FLOOR 1	CODE	STRUCTURE FINISH + LAMPSHADE	DIFFUSER FINISH	PRICE €
	008F2M11W.CE/UL + 008MB	LIGHT BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.700,00
	008F2M11W.CE/UL + 008MG	LIGHT BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.750,00
	008F2M12W.CE/UL + 008MB	DARK BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.700,00
	008F2M12W.CE/UL + 008MG	DARK BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.750,00

METAL LAMPSHADE

CODE	FINISH
008MB	MATTE BLACK METAL
008MG	MATTE GOLD METAL

DIMENSIONS



PRODUCT DETAILS

FUNCTION	FLOOR
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	3 × MAX 6W E14 LED 470lm 2700°K - DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DIMMABLE SWITCH
CABLE LENGTH	90 cm (35") 160 cm (63")

CERTIFICATION




PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	180 × 58 × H 30 cm (70"9 × 22"8 × 11"8)	8 kg	13 kg	0,31m³

URBAN FLOOR 3	CODE	STRUCTURE FINISH + LAMPSHADE	DIFFUSER FINISH	PRICE €
	008F1M11W.CE/UL + 008MB	LIGHT BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	2.950,00
	008F1M11W.CE/UL + 008MG	LIGHT BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	3.200,00
	008F1M12W.CE/UL + 008MB	DARK BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	2.950,00
	008F1M12W.CE/UL + 008MG	DARK BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	3.200,00

METAL LAMPSHADE	CODE	FINISH
	008MB	MATTE BLACK METAL
	008MG	MATTE GOLD METAL

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 6W E14 LED 470lm 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
WIRING CABLE LENGTH	250 cm (98 3/4)
STEEL CABLE LENGTH	250 cm (98 3/4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	42 × 53 × H 30 cm (16 1/2 × 20 7/8 × 11 7/8)	2 kg	4 kg	0,07 m³

URBAN SUSPENSION 1 - S	CODE	STRUCTURE FINISH + LAMPSHADE	DIFFUSER FINISH	PRICE €
	008S1M11W.CE/UL + 008MB	LIGHT BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	950,00
	008S1M11W.CE/UL + 008MG	LIGHT BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.050,00
	008S1M12W.CE/UL + 008MB	DARK BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	950,00
	008S1M12W.CE/UL + 008MG	DARK BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.050,00

METAL LAMPSHADE

CODE	FINISH
008MB	MATTE BLACK METAL
008MG	MATTE GOLD METAL


DECENTRALIZATION KIT

CODE	STRUCTURE FINISH	PRICE €
008KITD.M11	LIGHT BURNISHED BRASS	40,00
008KITD.M12	DARK BURNISHED BRASS	40,00

DIMMING KIT

DALI - TRIAC	NET PRICE €
	150,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 8,5W E27 LED 600lm 2800°K - DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	44 × 44 × H 37 cm (17"3 × 17"3 × 14"5)	6 kg	8 kg	0,07 m³

URBAN SUSPENSION 1 - M	CODE	STRUCTURE FINISH + LAMPSHADE	DIFFUSER FINISH	PRICE €
	008S3M11W.CE/UL + 008MBM	LIGHT BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.300,00
	008S3M11W.CE/UL + 008MGM	LIGHT BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.450,00
	008S3M12W.CE/UL + 008MBM	DARK BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.300,00
	008S3M12W.CE/UL + 008MGM	DARK BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.450,00

METAL LAMPSHADE

CODE	FINISH
008MBM	MATTE BLACK METAL
008MGM	MATTE GOLD METAL


DECENTRALIZATION KIT

CODE	STRUCTURE FINISH	PRICE €
008KITD.M11	LIGHT BURNISHED BRASS	120,00
008KITD.M12	DARK BURNISHED BRASS	120,00

DIMMING KIT

DALI - TRIAC	NET PRICE €
	150,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 8,5W E27 LED 600lm 2800°K - DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	57 × 57 × H 46 cm (22"4 × 22"4 × 18")	7 kg	9 kg	0,15 m³

URBAN SUSPENSION 1 - L	CODE	STRUCTURE FINISH + LAMPSHADE	DIFFUSER FINISH	PRICE €
	008S4M11W.CE/UL + 008MBL	LIGHT BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.950,00
	008S4M11W.CE/UL + 008MGL	LIGHT BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	2.100,00
	008S4M12W.CE/UL + 008MBL	DARK BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.950,00
	008S4M12W.CE/UL + 008MGL	DARK BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	2.100,00


METAL LAMPSHADE	CODE	FINISH
	008MBL	MATTE BLACK METAL
	008MGL	MATTE GOLD METAL

DECENTRALIZATION KIT	CODE	STRUCTURE FINISH	PRICE €
	008KITD.M11	LIGHT BURNISHED BRASS	120,00
	008KITD.M12	DARK BURNISHED BRASS	120,00

DIMMING KIT		NET PRICE €
	DALI - TRIAC	150,00

DIMENSIONS

27 cm (10"6)



PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 6W E14 LED 470lm 2700°K - DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DIMMABLE SWITCH
CABLE LENGTH	45 cm (18") 205 cm (81")

CERTIFICATION




PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	62 × 40 × H 36 cm (24"4 × 15"7 × 14"2)	3 kg	5 kg	0,09 m³

URBAN TABLE	CODE	STRUCTURE FINISH + LAMPSHADE	DIFFUSER FINISH	PRICE €
	008T1M11W.CE/UL + 008MB	LIGHT BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.300,00
	008T1M11W.CE/UL + 008MG	LIGHT BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.400,00
	008T1M12W.CE/UL + 008MB	DARK BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.300,00
	008T1M12W.CE/UL + 008MG	DARK BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.400,00

METAL LAMPSHADE	CODE	FINISH
	008MB	MATTE BLACK METAL
	008MG	MATTE GOLD METAL

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 6W E14 LED 470lm 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	42 × 53 × H 30 cm (16 5/8 × 20 9/16 × 11 7/8)	1,5 kg	3 kg	0,07 m³

URBAN WALL

CODE	STRUCTURE FINISH + LAMPSHADE	DIFFUSER FINISH	PRICE €
008W1M11W.CE/UL + 008MB	LIGHT BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.050,00
008W1M11W.CE/UL + 008MB	LIGHT BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.150,00
008W1M12W.CE/UL + 008MB	DARK BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.050,00
008W1M12W.CE/UL + 008MB	DARK BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.150,00


METAL LAMPSHADE

CODE	FINISH
008MB	MATTE BLACK METAL
008MG	MATTE GOLD METAL

DIMMING KIT

DALI - TRIAC	NET PRICE € 150,00
--------------	------------------------------

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 6W E14 LED 470lm 2700°K (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DIMMABLE SWITCH
CABLE LENGTH	90 cm (35") 160 cm (63")

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	99 × 40 × H 32 cm (39" × 15"7 × 12"6)	3 kg	4,5 kg	0,13 m³


URBAN WALL TURNING ARM

CODE	STRUCTURE FINISH + LAMPSHADE	DIFFUSER FINISH	PRICE €
008W2M11W.CE/UL + 008MB	LIGHT BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.700,00
008W2M11W.CE/UL + 008MG	LIGHT BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.800,00
008W2M12W.CE/UL + 008MB	DARK BURNISHED BRASS + MATTE BLACK METAL	WHITE GLASS	1.700,00
008W2M12W.CE/UL + 008MG	DARK BURNISHED BRASS + MATTE GOLD METAL	WHITE GLASS	1.800,00

METAL LAMPSHADE

CODE	FINISH
008MB	MATTE BLACK METAL
008MG	MATTE GOLD METAL

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIRECT AND INDIRECT LIGHT
LIGHT SOURCE	STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80+ 24Vdc TOT. = 48W 5880lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGTH	250 cm (98"4)
STEEL CABLE LENGTH	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	180 × 58 × H 30 cm (70"9 × 22"8 × H 11"8)	8 kg	13 kg	0,31 m ³


URBAN LIGHTLINE SUSPENSION	CODE 008S5M11W.CE/UL	STRUCTURE FINISH LIGHT BURNISHED BRASS* + MATTE BLACK METAL	PRICE € 3.800,00
-----------------------------------	--------------------------------	---	----------------------------

* Burnished brass finish on metal base.

J-BOX KIT (USA AND CANADA)	CODE 008S5KITJ.MB	STRUCTURE FINISH MATTE BLACK METAL	PRICE € 100,00
-----------------------------------	-----------------------------	--	--------------------------

DIMMING KIT	NET PRICE €
DALI	90,00
TRIAC	105,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIRECT AND INDIRECT LIGHT
LIGHT SOURCE	STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80+ 24Vdc TOT. = 13W 1330lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	97 × 35 × H 37 cm (38"2 × 13"8 × H 14"6)	4 kg	6 kg	0,13 m³

URBAN LIGHTLINE WALL

CODE	STRUCTURE FINISH	PRICE €
008W3M11W.CE/UL	LIGHT BURNISHED BRASS* + MATTE BLACK METAL	1.950,00

* Burnished brass finish on metal base.


J-BOX KIT
(USA AND CANADA)

CODE	STRUCTURE FINISH	PRICE €
008W3KITJ.MB	MATTE BLACK METAL	100,00

DIMMING KIT

	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	LED PLATE 500mA 13,7W 1860lm 2700°K CRI 80
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
WIRING CABLE LENGHT	250 cm (98"4)
STEEL CABLE LENGHT	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	60 × 58 × H 29 cm (23"6 × 22"8 × H 11"4)	8 kg	14 kg	0,10 m³

UTMOST SUSPENSION

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
023S1M11B.CE	LIGHT BURNISHED BRASS	BRONZE GLASS	4.250,00


J-BOX KIT
(USA AND CANADA)

CODE	STRUCTURE FINISH	PRICE €
023S1KITJ.M11	LIGHT BURNISHED BRASS	150,00

DIMMING KIT

	NET PRICE €
DALI	115,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP LED 17,3W/m 2700°K 2100lm/m CRI 80 + 24Vdc TOT. = 6W 705lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
CABLE LENGTH	45 cm (18") 205 cm (81")

CERTIFICATION




PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	70 × 60 × H 18 cm (27"6 × 23"6 × H 7")	4 kg	5 kg	0,08 m³

VCM TABLE

CODE	STRUCTURE FINISH	PRICE €
021T1M12.CE	DARK BURNISHED BRASS	1.600,00
021T1M19.CE	BLENDED BURNISHED BRASS	1.600,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION
COFFEE TABLE
LOCATION
INTERIOR

PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × CRATE	68 × 48 × H 83 cm (26"8 × 18"9 × H 32"7)	16 kg	40 kg	0,27 m³

WAVE COFFEE TABLE

CODE	TOP FINISH	BASE FINISH	PRICE €
F.003T1M19G	BLENDED BURNISHED BRASS	SMOKE GREY GLASS	3.550,00

DIMENSIONS

Ø 35 cm (13"8) 18 cm (7")



Ø 13 cm (5"2)



PRODUCT DETAILS

FUNCTION	CEILING / WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP COB LED 15W 2700°K 1380lm CRI 90+ 24Vdc TOT. = 8W 752lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	49 × 49 × H 35 cm (19"3 × 19"3 × H 13"8)	3 kg	5 kg	0,08 m³

ZEN CEILING - S

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
029C3M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	2,400,00
029C3M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	2,400,00
029C3M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	2,400,00
029C3M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	2,400,00

ZEN WALL - S


CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
029W3M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	2,400,00
029W3M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	2,400,00
029W3M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	2,400,00
029W3M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	2,400,00

DIMMING KIT

	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS

Ø 45 cm (17"7) 20 cm (7"9)



Ø 13 cm (5"2)

PRODUCT DETAILS

FUNCTION	CEILING / WALL
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP COB LED 15W 2700°K 1380lm CRI 90+ 24Vdc TOT. = 8W 752lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.	

CERTIFICATION



PACKAGE

QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
1 × BOX	59 × 59 × H 36 cm (23"2 × 23"2 × H 14"2)	5 kg	7 kg	0,13 m³

ZEN CEILING - M

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
029C2M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	2,500,00
029C2M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	2,500,00
029C2M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	2,500,00
029C2M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	2,500,00


ZEN WALL - M

CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
029W2M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	2,500,00
029W2M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	2,500,00
029W2M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	2,500,00
029W2M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	2,500,00

DIMMING KIT

	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS Ø 55 cm (21"6) 20 cm (7"9)



Ø 13 cm (5"2)



PRODUCT DETAILS	FUNCTION	CEILING / WALL
	LOCATION	INTERIOR
	LIGHT EMISSION	DIFFUSED LIGHT
	LIGHT SOURCE	STRIP COB LED 15W 2700°K 1380lm CRI 90+ 24Vdc
		TOT. = 8W 752lm
	ENERGY EFFICIENCY	F
	RATED VOLTAGE	110 - 120 V / 220 - 240 V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.		

CERTIFICATION UL/CE WIRED IP44


PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	69 × 69 × H 36 cm (27"2 × 27"2 × H 14"2)	6 kg	8 kg	0,17 m³

ZEN CEILING - L	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	029C1M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	2.700,00
	029C1M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	2.700,00
	029C1M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	2.700,00
	029C1M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	2.700,00

ZEN WALL - L	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	029W1M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	2.700,00
	029W1M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	2.700,00
	029W1M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	2.700,00
	029W1M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	2.700,00

DIMMING KIT		NET PRICE €
	DALI	90,00
	TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP COB LED 15W 2700°K 1380lm CRI 90+ 24Vdc TOT. = 8W 752lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGHT	250 cm (98"4)
STEEL CABLE LENGHT	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	49 × 49 × H 35 cm (19"3 × 19"3 × H 13"8)	3 kg	4 kg	0,08 m³

ZEN SUSPENSION - S	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	029S3M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	2.600,00
	029S3M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	2.600,00
	029S3M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	2.600,00
	029S3M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	2.600,00

DIMMING KIT	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	SUSPENSION
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	STRIP COB LED 15W 2700°K 1380lm CRI 90+ 24Vdc TOT. = 8W 752lm
ENERGY EFFICIENCY	F
RATED VOLTAGE	110 - 120 V / 220 - 240 V
FREQUENCY	50 - 60Hz
SUPPLY	TERMINAL BLOCK
BALLAST	BALLAST INCLUDED
WIRING CABLE LENGHT	250 cm (98"4)
STEEL CABLE LENGHT	250 cm (98"4)

DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.

CERTIFICATION




PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	59 × 59 × H 36 cm (23"2 × 23"2 × H 14"2)	6 kg	8 kg	0,13 m³

ZEN SUSPENSION - M	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	029S2M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	2.700,00
	029S2M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	2.700,00
	029S2M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	2.700,00
	029S2M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	2.700,00

DIMMING KIT	NET PRICE €
DALI	90,00
TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS	FUNCTION	SUSPENSION
	LOCATION	INTERIOR
	LIGHT EMISSION	DIFFUSED LIGHT
	LIGHT SOURCE	STRIP COB LED 15W 2700°K 1380lm CRI 90+ 24Vdc
		TOT. = 8W 752lm
	ENERGY EFFICIENCY	F
	RATED VOLTAGE	110 - 120 V / 220 - 240 V
	FREQUENCY	50 - 60Hz
	SUPPLY	TERMINAL BLOCK
	BALLAST	BALLAST INCLUDED
	WIRING CABLE LENGHT	250 cm (98"4)
	STEEL CABLE LENGHT	250 cm (98"4)
DALI OR TRIAC DIMMING KIT AVAILABLE UPON REQUEST.		

CERTIFICATION

UL

WIRED

CE






IP20

PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	69 × 69 × H 36 cm (27"2 × 27"2 × H 14"2)	7 kg	9 kg	0,17 m³

ZEN SUSPENSION - L	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	029S1M11G.CE/UL	LIGHT BURNISHED BRASS	SMOKE GREY GLASS	3.100,00
	029S1M11B.CE/UL	LIGHT BURNISHED BRASS	BRONZE GLASS	3.100,00
	029S1M12G.CE/UL	DARK BURNISHED BRASS	SMOKE GREY GLASS	3.100,00
	029S1M12B.CE/UL	DARK BURNISHED BRASS	BRONZE GLASS	3.100,00

DIMMING KIT		NET PRICE €
	DALI	90,00
	TRIAC	65,00

DIMENSIONS



PRODUCT DETAILS

FUNCTION	FLOOR
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	3 × MAX 5W G9 LED 350lm 2700°K - DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DIMMABLE SWITCH
CABLE LENGTH	90 cm (35") 160 cm (63")

CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	163 × 52 × H 26 cm (64"2 × 20"5 × 10"2)	10 kg	11,5 kg	0,22 m³


ZOE FLOOR	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	007F1M04W.CE/UL	POLISHED BLACK NICKEL METAL	WHITE GLASS	4.000,00
	007F1M05W.CE/UL	POLISHED GOLD METAL	WHITE GLASS	4.000,00
	007F1M07W.CE/UL	MATTE BLACK NICKEL METAL	WHITE GLASS	4.100,00
	007F1M09W.CE/UL	POLISHED CHROME METAL	WHITE GLASS	4.000,00
	007F1M11W.CE/UL	LIGHT BURNISHED BRASS*	WHITE GLASS	4.900,00

* Burnished brass finish on metal base.

METAL SPHERE	CODE	FINISH
	007M04	POLISHED BLACK NICKEL METAL
	007M05	POLISHED GOLD METAL
	007M09	POLISHED CHROME METAL

NOTES COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.

DIMENSIONS



PRODUCT DETAILS

FUNCTION	TABLE
LOCATION	INTERIOR
LIGHT EMISSION	DIFFUSED LIGHT
LIGHT SOURCE	1 × MAX 5W G9 LED 350lm 2700°K - DIMMABLE (BULBS EXCLUDED)
RATED VOLTAGE	110 - 120V / 220 - 240V
FREQUENCY	50 - 60Hz
SUPPLY	POWER CORD
SWITCHING	DIMMABLE SWITCH
CABLE LENGTH	45 cm (18'') 205 cm (81'')

CERTIFICATION



PACKAGE	QTY	DIMENSIONS	NET WEIGHT	GROSS WEIGHT	TOTAL VOL.
	1 × BOX	85 × 43 × H 30 cm (33'5 × 16'9 × 11'8)	3 kg	5 kg	0,11m³


ZOE TABLE	CODE	STRUCTURE FINISH	DIFFUSER FINISH	PRICE €
	007T1M04W.CE/UL	POLISHED BLACK NICKEL METAL	WHITE GLASS	1.790,00
	007T1M05W.CE/UL	POLISHED GOLD METAL	WHITE GLASS	1.900,00
	007T1M07W.CE/UL	MATTE BLACK NICKEL METAL	WHITE GLASS	1.850,00
	007T1M09W.CE/UL	POLISHED CHROME METAL	WHITE GLASS	1.790,00
	007T1M11W.CE/UL	LIGHT BURNISHED BRASS*	WHITE GLASS	2.400,00

* Burnished brass finish on metal base.

METAL SPHERE	CODE	FINISH
	007M04	POLISHED BLACK NICKEL METAL
	007M05	POLISHED GOLD METAL
	007M09	POLISHED CHROME METAL

NOTES	COLOURED BLOWN GLASS DIFFUSERS AVAILABLE AT PAGE 107.
-------	---

DIMENSIONS



COLOURED DIFFUSER	CODE	FINISH	PRICE €
	G001A	AMETHYST GLASS	245,00
	G001C	CRYSTAL GLASS	245,00
	G001DG	DOVE GREY GLASS	245,00
	G001G	SMOKE GREY GLASS	245,00
	G001F	METAL FLAKES GLASS	280,00

NOTES FIXING SYSTEM INCLUDED.

- Please read carefully the mounting instructions before installation.
- This document replaces any other previous one.
- Venicem Srl reserves the right to change its products and to introduce any changes without any prior notice, therefore the descriptions printed on this document are not binding.
- The data in this price list can be changed at any time without notice.
- The prices shown in this price list are intended solely for the material conformed to the technical standards of the list of target market itself. Any request for material conforming to different standards will be subject to quotation.
- The goods are ex factory.
- The price do not include bulbs except where indicated.
- The goods travel at consignee's risk.
- The goods are packed carefully and thoroughly before shipment, so Venicem Srl accepts no responsibility for damage caused during transportation or while stored in client's warehouse.
- Any broken or missing item has to be immediately claimed to the forwarder.
- Returns of any material must be authorized in writing by Venicem Srl.
- Any claim must be notified in writing to the company within 7 days from the delivery date, otherwise it won't be accepted.
- For any dispute, the only and solo jurisdiction point is in TV / ITA.
- All the products by Venicem Srl are guaranteed for 24 months from the delivery date. The latter is not valid for any damages caused by third parties, resulted from improper installation or from changes attributed to products.
- Delivery times written on the order or agreed verbally are just as an indication. The failure will not give any right to penalties or damage claims.
- Any damage resulting from improper installation or changes to products can't be considered the responsibility of Venicem Srl.
- No part of the price list may be reproduced or transmitted in any form or by mean, electronic, mechanical or other, without the written permission of Venicem Srl.
- The products have been manufactured by hand. Any imperfection is because of its handcrafted process.
- The finishes' colours in the technical sheets are susceptible to slight variations and have a leeway typical of artisanal handwork.
- Images and representations of the products in price list, catalogues and sites may differ from actual goods in particular, but not only, with regard to colours, descriptions and other details.
- Venicem Srl reserves ownership of the goods until full payment thereof.
- Prices are expressed in Euro excluding VAT.
- As the items are fragile, it is not possible to send them in their totality, therefore the fixture must be installed by a qualified electrician.
- The items shall be applied only to internal use.
- Materials are suitable for all internal application and don't assimilate water which may be present through excessive humidity.
- Venicem Srl undertakes to treat personal data within terms and conditions provided by law.

005 | C | 1 | M03 | W | CE

1 | 2 | 4 | 5 | 6

1	002	CIRCLE
	003	CROWN
	004	KITAMI
	005	MONDRIAN GLASS
	006	MONDRIAN LED
	007	ZOE
	008	URBAN
	009	CHIC
	010	NUMA
	011	PINOCCHIO
	012	SECRET
	013	ROOTS
	014	GLAM
	015	ESSENCE
	016	LESS SYSTEM
	017	RECTUS
	018	GRACE
	019	SPEAR
	020	MISTY
	021	VCM
	022	UNIQUE
	023	UTMOST
	024	OPTICAL
	025	SOUL
	026	TROU
	027	BISSA
	028	CROSS
	029	ZEN
	F.001	EQUILIBRE
	F.002	SERGE
	F.003	WAVE
	F.004	URBAN
	F.005	BLADE
	F.006	ROCK
	F.007	RING
	F.008	STAR
	F.009	OPEN

2	B	BOOKCASE
	C	CEILING
	F	FLOOR
	S	SUSPENSION
	T	TABLE
	W	WALL

4	M01	LIGHT BRONZE STRIPED
	M02	DARK BRONZE STRIPED
	M03	NATURAL BURNISHED BRASS
	M04	POLISHED BLACK NICKEL
	M05	POLISHED GOLD
	M07	MATTE BLACK NICKEL
	M09	POLISHED CHROME
	M11	LIGHT BURNISHED BRASS
	M12	DARK BURNISHED BRASS
	M14	DELABRÉ BRASS
	M16	PEWTER
	M17	ANTIQUE COPPER
	M18	BRUSHED BURNISHED BRASS
	M19	BLENDED BURNISHED BRASS
	M20	BLENDED BURNISHED COPPER
	M21	BLENDED BURNISHED METAL
	M22	BRUSHED BURNISHED COPPER
	M23	BLACK IRON
	MB	MATTE BLACK
	MG	MATTE GOLD
	CR	CIPOLLINO ROSSO MARBLE
	CW	WHITE CARRARA MARBLE
	MM	BLACK MARQUINA MARBLE
	TR	TRAVERTINO MARBLE
	CL	CANALETTO WOOD
	TW	TEAK WOOD

5	AL	ALABASTER
	B	BRONZE
	BL	BLUE
	BM	BRONZE MIRROR
	C	CRYSTAL
	DG	DOVE GREY
	F	METAL FLAKES
	G	SMOKE GREY
	H	BLENDED
	P	ANTIQUE PINK
	R	AMBER
	S	WHITE SATIN
	SM	SILVER MIRROR
	V	GREEN
	W	WHITE

6	.CE	UE WIRING
	.UL	US WIRING

© VENICEM 2024, ALL RIGHT RESERVED

VENICEM SRL
VIA MEUCCI, 3
31021, MOGLIANO VENETO (TV) ITALY
T (+39) 041 593 6143
INFO@VENICEM.COM
VENICEM.COM

SHOWROOM MILANO
VIA CAVALLOTTI, 17
20122, MILANO, ITALY
T (+39) 02 800 110 68
SHOWROOM@VENICEM.COM

For more information on the sales network,
please visit venicem.com or send an email to
info@venicem.com

VENICEM.COM